DOI: https://doi.org/10.54393/df.v6i3.190



DIET FACTOR

Journal of Nutritional & Food Sciences

https://www.dietfactor.com.pk/index.php/df ISSN (E): 2789-8105, (P): 2789-8091 Volume 6, Issue 3 (July-Sep 2025)



Original Article



A Comprehensive Survey Report on Caffeine Effect on Academic Performance

Maria Aslam¹, Anoosha Daud¹, Laiba Khursid¹, Maryam Naseem Lodhi¹, Nashima Zahid¹, Minahil Aftab Rai¹ and Amina Khalid¹

University Institute of Diet and Nutritional Sciences, Faculty of Allied Health Sciences, The University of Lahore, Lahore, Pakistan

ARTICLE INFO

Keywords:

Caffeine, Consumption, Academic Performance, Healthier Alternatives

How to Cite:

Aslam, M., Daud, A., Khursid, L., Lodhi, M. N., Zahid, N., Rai, M. A., & Khalid, A. (2025). A Comprehensive Survey Report on Caffeine Effect on Academic Performance: Caffeine Effect on Academic Performance. DIET FACTOR (Journal of Nutritional and Food Sciences), 6(3), 22-26. https://doi.org/10.54393/df.v6i3.190

*Corresponding Author:

Maria Aslam

University Institute of Dietetics and Nutritional Sciences, Faculty of Allied Health Sciences, The University of Lahore, Lahore, Pakistan mnarz.aslam@gmail.com

Received Date: 19th July, 2025 Revised Date: 10th September, 2025 Acceptance Date: 14th September, 2025 Published Date: 30th September, 2025

ABSTRACT

Caffeine is consumed by students and is very common in different forms worldwide. While it has been researched to increase alertness and focus, it also imparts negative effects, such as disturbing a person's sleep cycle. Objective: To assess how much people are aware of drinks containing caffeine and also their consumption of it. Methods: This was based on a report of 100 university-going students aged between 17 to 28 years who are the potential subjects to assess how the consumption of caffeine affects academic performance. The data were collected from The University of Lahore students. Results: Caffeine consumption was widespread among university students (71%), mainly through tea. While most saw no impact on academics, 31.6% noted improvements, and 6.5% reported declines. Nearly half experienced sleep issues, and over a third reported side effects like anxiety. Despite high awareness, many noted peer overreliance, with 40.7% open to healthier alternatives. **Conclusion:** caffeine use among students reflects a balance between perceived cognitive benefits and potential health risks. Its mixed effects suggest the need for greater awareness and informed decision-making. Social influences and habitual use further highlight the importance of education on healthier alternatives.

INTRODUCTION

Caffeine consumption among university students is a widespread phenomenon, primarily driven by the belief that it enhances attention and productivity [1]. However, this practice is coupled with potential negative health outcomes, creating a complex public health consideration [2, 3]. The consumption of caffeinated beverages has grown dramatically among young adults, who often justify their use as a means to increase mental vigilance, improve productivity, and enhance brain function, all of which can subsequently impact academic outcomes [4]. This central nervous system stimulant is found in a diverse range of products, including coffee, tea, soft drinks, and over-thecounter medications [5]. While moderate intake is common, consumption between 100-400 mg has been associated with adverse effects such as anxiety, tremors, and agitation [6]. Despite this, students frequently report using caffeine to cope with demanding academic situations, claiming it boosts alertness, attention span, and long-term memory [7]. The popularity of caffeine stems from its ability to combat fatigue, though this benefit often comes at the cost of sleep quality. Research indicates that caffeine consumption can reduce total sleep time by approximately 45 minutes and decrease sleep efficiency by 7%, necessitating careful timing of intake relative to bedtime [8]. Behavioral studies suggest that moderate caffeine consumption can reduce fatique and improve

vigilance, particularly in monotonous situations or during tasks requiring sustained attention [9]. However, the effects on complex cognitive tasks are less predictable and can be influenced by individual factors such as personality and time of day [10]. The impact is evident in student populations, with one study noting that caffeine consumption led to reduced sleep duration, negatively affecting concentration, even as it helped students feel more awake and alert [11]. Furthermore, increased caffeine use has been associated with heightened depressive and anxiety symptoms among university students, highlighting the need for further investigation into this relationship and the promotion of healthier alternatives [12]. The health implications of caffeine are dose-dependent. While it possesses antioxidant and anti-inflammatory properties that may offer protection against various diseases, longterm or excessive use is linked to adverse effects, including insomnia, migraines, and specific risks for vulnerable groups like pregnant women and adolescents [13]. The environmental impact of caffeine consumption is also noteworthy, with significant levels detected in water sources globally, posing potential risks to aquatic ecosystems [14]. Among university students, those in demanding fields like medicine are particularly prone to high caffeine consumption. They face unique pressures from rigorous academic workloads and clinical training, often leading to disrupted sleep patterns and elevated stress levels [15]. This makes caffeine an attractive, readily available aid for maintaining energy and alertness. The habitual use of caffeine in this demographic is especially concerning, as these future healthcare professionals' personal health behaviors may later influence the advice and care they provide to patients [16].

This study aims to comprehensively explore the consumption patterns, perceived benefits, and associated risks of caffeine use among university students in relation to their academic performance.

METHODS

This cross-sectional study was conducted for three months from July to September 2024 to assess caffeine consumption patterns and their perceived effects among university students. Data were collected via a selfstructured and pre-tested questionnaire, and ethical approval was obtained from the University Institute of Diet and Nutritional Sciences, The University of Lahore. Sample size calculation was done using Rao's online software. A total of 100 university going students were recruited using a non-probability convenience sampling method from multiple universities, including the University of Lahore (42%), University of Central Punjab (7%), University of

Management and Technology (6%), Punjab University (4%), and Beaconhouse National University (1%). Inclusion criteria comprised university students aged 17-32 years who had a habit of caffeine consumption, and who voluntarily consented to participate, while individuals having caffeine allergy, from outside this age range, nonuniversity students, and uncooperative respondents were excluded. The questionnaire consisted of four sections: demographic information, caffeine-related sleep disturbances, beliefs about caffeine-induced dehydration, and the perceived impact of caffeine on academic performance. All participants provided informed consent before completing the survey through online or offline modes. Data were entered and analyzed in SPSS version

RESULTS

The survey reveals high caffeine prevalence (71%) among students, primarily consumed as tea. Despite most respondents (61.7%) perceiving no significant academic impact, a notable proportion reported caffeine-induced sleep disturbances (53.3%) and side effects like burnout (25.9%). This indicates a complex relationship where perceived short-term benefits for alertness coexist with significant health trade-offs, underscoring a need for targeted education on responsible consumption (Table 1).

Table 1: Caffeine Consumption and Perceived Effects Among University Students (n=100)

Variable	Category	Findings (%)
Age	17-20 Years	24.75%
	21-24 Years	70.4%
	25-28 Years	2.85%
	28+ Years	2%
Marital Status	Married	5.6%
	Unmarried	94.4%
Department	Medical and Allied Health	74.1%
	Other	25.9%
Residence	Day Scholar	81.5%
	Hostelite	18.5%

The caffeine consumption patterns of the participants are summarized, along with their preferred form, timing, and variations in use during stressful academic times. The majority of respondents (71%) said they drank caffeine, with tea accounting for the majority (69.2%), followed by coffee (21.2%) and other drinks including soda (9.6%). While a lower percentage reported drinking caffeine in the afternoon (13.9%), late at night (16.7%), or evening (28.7%), the majority (40.7%) preferred to use it in the morning. 35.2% of respondents said they used it more frequently during tests or deadlines, 16.7% said they used it occasionally, and 48.1% said they did not. Out of those studying at night, 24.1% always drank coffee, 29.6%

DOI: https://doi.org/10.54393/df.v6i3.190

occasionally, 12% infrequently, and 34.3% never. The majority (61.7%) reported no change, despite 31.6% of respondents believing caffeine enhances academic performance. Although 47.2% were ambivalent, about 35.8% agreed or strongly agreed that caffeine has academic benefits. While 45.4% were doubtful, one-fifth (20.4%) said it gives a competitive edge. Regarding classroom alertness, 28.3% of respondents said they always felt more aware after consuming caffeine, while 39.6% said they occasionally felt more alert. Furthermore, 40.7% of those surveyed said they had advised their peers to take caffeine. After consuming coffee in the evening, 46.7% of respondents reported having trouble falling asleep, and more than half (53.3%) reported having disturbed sleep. Caffeine has an impact on sleep patterns, according to half of the respondents (50%) who responded. The majority of individuals (52.8%) reported sleeping 6-8 hours on average, followed by 4-6 hours (27.3%), more than 8 hours (13.2%), and less than 4 hours (5.4%). Furthermore, after consuming large amounts of caffeine, 25.9% felt burnout or weariness, 25% occasionally reported it, and 49.1% reported no such effects (Table 2).

Table 2: Caffeine Consumption Habits among Study Participants

Variable	Category	Findings (%)
Consumption Habits	Caffeine Consumers	71%
Preferred Form:	Tea	69.2%
	Coffee	21.2%
	Other (Soda, etc.)	9.6%
Time of Day	Morning	40.7%
	Evening	28.7%
	Late Night	16.7%
	Afternoon	13.9%
Increased Use During Exams/Deadlines	Yes	35.2%
	Sometimes	16.7%
	No	48.1%
Use During Night Study Sessions	Always	24.1%
	Sometimes	29.6%
	Rarely	12%
	Never	34.3%
Perceived Effects on Academic Performance	Improves	31.6%
	No Change	61.7%
	Decreases	6.5%
Perceived Academic Benefits	Agree/Strongly Agree	35.8%
	Neutral	47.2%
	Disagree/Strongly Disagree	16.3%
	Yes	20.4%
Believe it Provides a Competitive Edge	No	34.3%
Competitive Lage	Not Sure	45.4%
Alertness in Class	Always	28.3%
	Sometimes	39.6%
	Rarely	17%
	Never	15.1%

Have Recommended Caffeine to Peers	Yes	40.7%
	No	59.3%
Sleep and Health Impacts	Experience Disturbed Sleep	53.3%
	Difficulty Falling Asleep After Evening Intake	46.7%
	Agree Caffeine Intake Affects Sleep Patterns	50%
Average Sleep	<4 Hours	5%
	4-6 Hours	27.4%
	6-8 Hours	52.8%
	>8 Hours	13.2%
Experience Burnout/	Yes	25.9%
Exhaustion After High Intake	Sometimes	25%
	No	49.1%
Awareness & Attitudes	Believe Caffeine Causes Dehydration	65.4%
Feel Guilt/Concern About Caffeine Use	Yes	19.4%
	No	80.6%
Actively Limit Caffeine Intake:	Yes	48.3%
	No	51.7%
Willing to Consider	Yes	40.7%
Healthier Alternatives	No	59.3%
Interested in Attending Seminar on Caffeine	Yes	66.7%
	No	33.3%

DISCUSSION

The findings of this study illuminate the complex and dualistic nature of caffeine consumption among university students in Pakistan. The high prevalence rate of 71% aligns closely with global trends reported in recent literature, reinforcing caffeine's status as a ubiquitous psychoactive substance in academic environments [17]. The overwhelming preference for tea (69.2%) as the primary vehicle for caffeine intake highlights a significant cultural and regional consumption pattern, distinguishing this cohort from Western populations where coffee is typically dominant [18]. A central finding of this research is the discrepancy between perceived academic benefit and measurable outcome. While a combined 35.8% of students agreed that caffeine offered academic benefits, the largest group (61.7%) reported no significant change in their actual academic performance. This perceptionreality gap was supported by Yasmeen et al. which concluded that while caffeine reliably enhances subjective feelings of alertness and concentration, its effect on complex cognitive tasks and long-term academic grades is often negligible or inconsistent [19]. The small but notable percentage of students (6.5%) who reported a decline in performance underscores the risk of adverse effects like anxiety and burnout, which can ultimately undermine academic success. The significant sleep disturbances reported by our participants (53.3% experiencing disturbed sleep, 46.7% having difficulty falling asleep after evening intake) present a critical public health concern.

DOI: https://doi.org/10.54393/df.v6i3.190

These results are consistent with the mechanistic understanding that caffeine, as an adenosine receptor antagonist, directly disrupts sleep architecture [4]. A recent longitudinal study by Algawasmi et al. specifically among medical students, found that nocturnal caffeine use was a stronger predictor of poor sleep quality than academic stress alone, creating a vicious cycle where students use more caffeine to combat fatigue induced by caffeine-related sleep loss [6]. This is further evidenced by our data showing that 24.1% of students always consume caffeine during all-night study sessions. Furthermore, an interesting awareness gap was observed. A majority of students (65.4%) correctly identified caffeine's dehydrating effect, demonstrating general health knowledge. However, this awareness does not appear to translate into proactive behavioral change, as 41.7% do not actively limit their intake, and a substantial portion continue to consume it in the late evening. This suggests that knowledge alone is insufficient to modify habits driven by academic pressure and peer influence, the latter being evident from the 40.7% who have recommended caffeine to peers. This social reinforcement of caffeine use has been identified as a key factor in normalizing its consumption among student populations [20]. The strong interest (66.7%) in attending a seminar on caffeine and academic health indicates a clear opportunity for university health services and student affairs departments to intervene. Educational campaigns should move beyond simply listing caffeine's effects and instead focus on practical strategies for responsible use. This includes promoting caffeine curfews, highlighting healthier alternatives for energy management (e.g., brief naps, physical activity), and integrating time-management and stress-reduction workshops into student orientation programs. Future research should employ longitudinal designs with objective measures of caffeine intake and academic records to better understand the causal pathways.

CONCLUSIONS

In conclusion, caffeine use among university students is a multifaceted issue characterized by a trade-off between perceived short-term cognitive benefits and tangible negative impacts on sleep and well-being. While students turn to caffeine as a tool to meet academic demands, its unregulated use can paradoxically hinder performance through sleep disruption and side effects. A proactive, educational approach that empowers students with strategies for sustainable energy management is crucial to fostering a healthier academic environment.

Authors Contribution

Conceptualization: MA, AD Methodology: AD, LK Formal analysis: MNL

Writing review and editing: NZ, MAR, AK

All authors have read and agreed to the published version of the manuscript.

Conflicts of Interest

All the authors declare no conflict of interest.

Source of Funding

The author received no financial support for the research, authorship and/or publication of this article.

REFERENCES

- [1] Navied U, Daud S, Daud A, Rehman A, Zafar O. Knowledge and Practices of Fourth-Year Medical Students Regarding Caffeinated Drink Consumption: A Cross-Sectional Study. Pakistan Journal of Public Health. 2024 Sep; 14(3): 190-7. doi: 10.32413/pjph. v14i3.1360.
- [2] Kamali R, Srinidhi S, Purna GS, Devi GM, Keerthana R, Elangovan S. Knowledge, Attitude and Practices Towards Consumption of Caffeine Containing Drinks among Medical College Students in Chennai. International Journal of Community Medicine and Public Health. 2024 Jan; 11(1): 182. doi: 10.18203/2394-6040.ijcmph20234123.
- [3] Ahmed HM, Bakheet TM, Hassan AO, Aref HG. Pattern of Consumption, Awareness, and Adverse Effects of Caffeine-Containing Beverages among Medical Students in Sohag University, a Cross-Sectional Study. The Egyptian Journal of Forensic Sciences and Applied Toxicology. 2024 Jun; 24(2): 87-100. doi: 10.21608/ejfsat.2024.285665.1327.
- [4] Dahlawi M, Hennawi YB, Baharith M, Almurakshi M, Bawashkhah A, Dahlawi S *et al.* The Association Between Caffeine Consumption and Academic Success in Makkah Region, Saudi Arabia. Cureus. 2024Apr; 16(4). doi: 10.7759/cureus.57975.
- [5] Tahir DT, Ibad IU, Rehman U, Zahra TZ. Assessing the Correlation Between Caffeine Consumption and Its Effect on the Academic Performance of Medical Students of Shifa College of Medicine, Islamabad, Pakistan: A Cross-Sectional Study. Journal of Rawalpindi Medical College. 2022 Mar; 26(1). doi: 10.37939/jrmc.v26i1.1559.
- [6] Alqawasmi AA, Alsalhi NR, Omar AA, Fattah HA, Abuawad B, Zangana MA. Caffeine Consumption Patterns Among Medical Students: Implications for Health Education and Academic Performance. Journal of Natural Science, Biology and Medicine.

- 2024 Dec; 15(3): 562.
- [7] Rehman IU, Tahir D, Zahra T. Caffeine Consumption and Perceptions of Medical Students; A Cross-Sectional Study. Advances in Basic Medical Sciences. 2022; 6(2).
- [8] Gardiner C, Weakley J, Burke LM, Roach GD, Sargent C, Maniar N et al. The Effect of Caffeine on Subsequent Sleep: A Systematic Review and Meta-Analysis. Sleep Medicine Reviews. 2023 Jun; 69: 101764. doi:10.1016/j.smrv.2023.101764.
- [9] Smith A. Effects of Caffeine On Human Behavior. Food and Chemical Toxicology. 2002 Sep; 40(9): 1243-55. doi:10.1016/S0278-6915(02)00096-0.
- [10] Soós R, Gyebrovszki Á, Tóth Á, Jeges S, Wilhelm M. Effects of Caffeine and Caffeinated Beverages in Children, Adolescents and Young Adults: Short Review. International Journal of Environmental Research and Public Health. 2021 Nov; 18(23): 12389. doi:10.3390/ijerph182312389.
- [11] Hawamdeh M, Mashaal AH, Obaidat S, Al-Nassan S, Shallan A, Altaim TA et al. Effects of Caffeine Consumption on Exam Performance Throughout University Students. Age. 2024; 81: 57-9. doi: 10.7013 5/seejph.vi.2406.
- [12] Bertasi RA, Humeda Y, Bertasi TG, Zins Z, Kimsey J, Pujalte G *et al.* Caffeine Intake and Mental Health In College Students. Cureus. 2021 Apr; 13(4). doi: 10.7759/cureus.14313.
- [13] Saimaiti A, Zhou DD, Li J, Xiong RG, Gan RY, Huang SY et al. Dietary sources, health benefits, and risks of caffeine. Critical Reviews in Food Science and Nutrition. 2023 Nov; 63(29): 9648-66. doi: 10.1080/10408398.2022.2074362.
- [14] Quadra GR, Paranaíba JR, Vilas-Boas J, Roland F, Amado AM, Barros N et al. A Global Trend of Caffeine Consumption Over Time and Related-Environmental Impacts. Environmental Pollution. 2020 Jan; 256: 113343. doi: 10.1016/j.envpol.2019.113343.
- [15] Kharaba Z, Sammani N, Ashour S, Ghemrawi R, Al Meslamani AZ, Al-Azayzih A et al. Caffeine Consumption among Various University Students in the UAE, Exploring the Frequencies, Different Sources and Reporting Adverse Effects and Withdrawal Symptoms. Journal of Nutrition and Metabolism. 2022; 2022(1): 5762299. doi: 10.1155/2022/5762299.
- [16] Riera-Sampol A, Rodas L, Martínez S, Moir HJ, Tauler P. Caffeine Intake among Undergraduate Students: Sex Differences, Sources, Motivations, and Associations with Smoking Status and Self-Reported Sleep Quality. Nutrients. 2022 Apr; 14(8): 1661. doi: 10.3390/nu14081661.

- [17] El-Nimr NA, Bassiouny SH, Tayel DI. Pattern of Caffeine Consumption among University Students. Journal of High Institute of Public Health. 2019 Dec; 49(3): 154-61.
- [18] Suter R, Miller C, Gill T, Coveney J. The Bitter and the Sweet: A Cultural Comparison of Non-Alcoholic Beverage Consumption in Japan and Australia. Food, Culture and Society. 2020 May; 23(3): 334-46. doi: 10.1080/15528014.2019.1679548.
- [19] Yasmeen K, Abbas MM, Imran H, Nadeem S, Bibi A, Anwar Z et al. Examining the Complex Interactions of Sleep Deprivation, Caffeine Intake, Stress, and Resilience on Cognitive Performance and Academic Success among College Students During High-Stakes Exams. Social Science Review Archives. 2024 Oct; 2(2): 244-58.
- [20] Hassan U. Prevalence and Awareness of Caffeine Consumption among the Medical Students. The Professional Medical Journal. 2020 Dec; 27(12): 2763-8. doi: 10.29309/TPMJ/2020.27.12.4631.